

Page 1/7


Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 10.03.2015

Version number 1

Revision: 10.03.2015



Printing date 10.03.2015

Version number 1

Revision: 10.03.2015

(Contd. of page 1)

Range VIOLET SM FOR JF OPAQUE WHITE

• **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Chemical characterisation: Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.

CAS: 28961-43-5	Propylidynetrimethanol	40-60%
NLP: 500-066-5	Xi R36	
	Xi R43	
	Eye Irrit. 2, H319; Skin Sens. 1, H317	
EC number: 934-125-5	Polyester Acrylate Oligomer - Polymer R36/38	10-308
	Xi R36/38	
	Skin Irrit. 2, H315; Eye Irrit. 2, H319	
CAS: 52408-84-1	Glycerolpropoxytriacrylate	1-5%
NLP: 500-114-5	Xn R22	
	Xi R36	
	Xi R43	
	Acute Tox. 4, H302; Eye Irrit. 2, H319; Skin Sens. 1, H317	

Additional information

For the wording of the listed risk phrases refer to section 16.

SECTION 4: First aid measures

· 4.1 Description of first aid measures

\cdot General information

Never make an unconscious person vomit or drink fluids. Immediately remove any clothing soiled by the product.

- After inhalation Supply fresh air; consult doctor in case of complaints.
- After skin contact

Immediately wash with soap and water and rinse thoroughly.

If skin irritation continues, consult a doctor.

· After eye contact

Rinse open eye for several minutes under running water. Then consult a doctor. • After swallowing

Give patient copious amounts of water to drink and provide fresh air. Call for a doctor immediately.

- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

· 5.1 Extinguishing media · Suitable extinguishing agents CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. · For safety reasons unsuitable extinguishing agents Water with full jet. · 5.2 Special hazards arising from the substance or mixture In case of fire, the following can be released: Carbon monoxide (CO) Nitrogen oxides (NOx) Under certain fire conditions, traces of other toxic gases cannot be excluded. \cdot 5.3 Advice for firefighters · Protective equipment: Wear self-contained breathing apparatus. Additional information Cool endangered containers with water spray. Collect contaminated fire fighting water separately. It must not enter the sewage system.

(Contd. on page 3)

GB

Printing date 10.03.2015 Version number 1

Revision: 10.03.2015

Range VIOLET SM FOR JF OPAQUE WHITE

(Contd. of page 2)

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



Refer to the protective measures stated in Sections 7 and 8. Keep unprotected personnel away.

Ensure adequate ventilation

• 6.2 Environmental precautions:

Do not allow product to reach sewage system or any water course. Inform respective authorities if seepage into water course or sewage system occurs.

- Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomaceous earth, acid binders, universal binders, sawdust).
- Dispose of contaminated material as waste according to section 13. • 6.4 Reference to other sections See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

SECTION 7: Handling and storage

• **7.1 Precautions for safe handling** Store in cool, dry place in tightly sealed containers. Keep away from heat and direct sunlight. Ensure good ventilation and extraction at the workplace.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage: Store in accordance with current national regulations.
- · Requirements to be met by storerooms and containers: Store between 5 30 °C.
- Information about storage in one common storage facility: Do not store together with oxidising and acidic materials. Do not store together with alkalis (caustic solutions).
- Further information about storage conditions:
- Protect from heat and direct sunlight.
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- Components with limit values that require monitoring at the workplace:
 DNELS
- worker:

28961-43-5 Propylidynetrimethanol

DermalDNEL0.8 mg/kg (-) (Long Term)InhalationDNEL16.2 mg/m3 (-) (Long Term)

• Additional information: The instructions and information provided by the manufacturer of the personal protective equipment on use, storage, maintenance and replacement must always be followed.

- 8.2 Exposure controls
- General protective and hygienic measures
 Immediately remove all soiled and contaminated clothing
 Wash hands before breaks and at the end of work.
 Avoid contact with the eyes and skin.
 Store protective clothing separately.
 Keep away from foodstuffs, beverages and feed.

 Breathing equipment: Not necessary if room is well-ventilated.

• Protection of hands:

There is no one glove material or combination of materials that will give unlimited resistance to any individual or combination of chemicals. The selection of single or multi-use gloves is dependent upon the level of exposure.

Revision: 10.03.2015

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 10.03.2015

Version number 1

Range VIOLET SM FOR JF OPAQUE WHITE

(Contd. of page 3) The performance or effectiveness of the glove may be reduced by physical/ chemical damage and poor maintenance. Always ensure that gloves are free from defects and that they are stored and used correctly. Hands should be inspected on a regular basis for any signs of skin damage or inflammation Gloves should be replaced regularly and if there is any sign of damage to the glove material.
Single use disposable nitrile gloves (short duration exposure of few minutes, or where only splashes likely). Not to be reused when removed.
Minimum 0.4mm thick neoprene or nitrile gloves (longer duration exposure or mechanical handling activities). To be replaced immediately when punctured or degraded. Heavy duty unlined neoprene gloves (when using solvents). To be replaced immediately when punctured or degraded. Penetration time of glove material The exact break through time has to be obtained from the manufacturer of the protective gloves and must be observed. Eye protection: Safety glasses Body protection:
Acrylates, like any other organic solvent, are skin and/or eye irritants. Since acrylates do not evaporate, they will remain on the skin or clothes for extended periods. This long term exposure, caused by the non volatility, can give rise to dermatitis. It is essential that the measures given above are always followed. Protective work clothing; disposable overalls are preferable.
COSHH Essentials for Printers Control Guidance Sheet: Guidance is provided by the Health and Safety executive (HSE) concerning COSHH (Control of Substances Hazardous to Health) for printers. See COSHH Essentials for Printers on the HSE website: www.hse.gov.uk and enter 'COSHH Essentials for printers' in the search bar.

 9.1 Information on basic physi General Information Appearance: 	cal and chemical properties
<pre>Form: Colour: · Odour: · Odour threshold:</pre>	Liquid According to product specification Characteristic Not determined.
· pH-value:	Not determined.
 Change in condition Melting point/Melting range Boiling point/Boiling range 	
· Flash point:	Not applicable
· Flammability (solid, gaseous)	Not determined.
· Ignition temperature:	Not applicable
· Decomposition temperature:	Not determined.
· Self igniting:	Not determined. Product is not selfigniting.
• Danger of explosion:	Product does not present an explosion hazard.
 Explosion limits: Lower: Upper: Oxidising properties 	Not determined. Not determined. Not determined
· Vapour pressure:	Not determined.
· Density:	Not determined

Printing date 10.03.2015

Version number 1

Revision: 10.03.2015

Range VIOLET SM FOR JF OPAQUE WHITE

	(Contd. of page 4
\cdot Relative density	Not determined.
 Vapour density 	Not determined.
 Evaporation rate 	Not determined.
· Water:	Not miscible or difficult to mix
· Partition coefficient (n-oct	canol/
water):	Not determined.
· Viscosity:	Not determined
· dynamic:	Not determined.
· kinematic:	Not determined.
· Solvent content:	
Organic solvents:	0.0 %
• 9.2 Other information	No further relevant information available.

SECTION 10: Stability and reactivity

· 10.1 Reactivity

· 10.2 Chemical stability

· Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

• Stable until: 50 °C

- · 10.3 Possibility of hazardous reactions No dangerous reactions known
- 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity:

· LD/LC50 values that are relevant for classification:

28961-43-5 Propylidynetrimethanol

Oral LD50 >2000 mg/kg (rat)

Dermal LD50 >2000 mg/kg (rat)

- · on the skin: Irritant to skin and mucous membranes.
- · on the eye: Irritating effect.
- · Sensitisation: Sensitisation possible through skin contact.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:

· General notes:

There are no data on the preparation itself. The preparation has been assessed following the conventional method of the Dangerous Preparations Directive 1999/45/EC and is not classified as dangerous for the environment.



Do not allow product to reach ground water, water course or sewage system.

- \cdot 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

(Contd. on page 6)

CP

Printing date 10.03.2015

Version number 1

Revision: 10.03.2015

Range VIOLET SM FOR JF OPAQUE WHITE

(Contd. of page 5)

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- Recommendation
- X

Must not be disposed together with household rubbish. Do not allow product to reach sewage system.

European waste catalogue

08 03 12* waste ink containing dangerous substances

· Waste Hazard Classification: H4 - Irritant

· Recommendation:

Dispose of product according to official regulations. Also see Section 16 'Other Information'

SECTION 14: Transport informa	ation
 14.1 UN-Number ADR, ADN, IMDG, IATA 	Void
 14.2 UN proper shipping name ADR, ADN, IMDG, IATA 	Void
 14.3 Transport hazard class(es) 	
· ADR, ADN, IMDG, IATA · Class	Void
 14.4 Packing group ADR, IMDG, IATA 	Void
• 14.5 Environmental hazards:	Not applicable.
\cdot 14.6 Special precautions for user	Not applicable.
 14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code 	
· UN "Model Regulation":	-

SECTION 15: Regulatory information

· Chemical Safety Assessment Chemical Safety Assessment not applicable

• 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- \cdot Other regulations, limitations and prohibitive regulations
- \cdot Substances of very high concern (SVHC) according to REACH, Article 57

Does not contain a SVHC according to REACH, Article 57

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

- H302 Harmful if swallowed.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H319 Causes serious eye irritation.
- R22 Harmful if swallowed.
- R36 Irritating to eyes

(Contd. on page 7)

- GB -

[•] National regulations

Printing date 10.03.2015

Г

Version number 1

Revision: 10.03.2015

Range VIOLET SM FOR JF OPAQUE WHITE		
	(Contd. of page 6	
RB	36/38 Irritating to eyes and skin.	
R4	May cause sensitisation by skin contact.	
. Re	ecommended restriction of use	
Th	ne product should not be used for any purpose other than that specified in action 1.	
· De	epartment issuing MSDS:	
Pr	oduct Safety Department - Fujifilm Speciality Ink Systems Limited	
· Co	patact: Elaine Campling BSc.(Hons) - Product Safety Manager	
	obreviations and acronyms:	
AD. CO. IM. IA	R: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement ncerning the International Carriage of Dangerous Goods by Road) DG: International Maritime Code for Dangerous Goods TA: International Air Transport Association (IATA Dangerous Goods Regulation (DGR) 55th Edition 14)	
GH	S: Globally Harmonised System of Classification and Labelling of Chemicals	
	NECS: European Inventory of Existing Commercial Chemical Substances	
	INCS: European List of Notified Chemical Substances S: Chemical Abstracts Service (division of the American Chemical Society)	
	S: Chemical Abstracts Service (division of the American Chemical Society) EL: Derived No-Effect Level (REACH)	
	50: Lettel concentration, 50 percent	
LD	50: Lethal dose, 50 percent	
	ute Tox. 4: Acute toxicity, Hazard Category 4	
	in Irrit. 2: Skin corrosion/irritation, Hazard Category 2	
	e Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2 in Sens. 1: Sensitisation - Skin, Hazard Category 1	
DIV.		